



ALERT!

Published quarterly by Gardiner Security

Units 25-27 Transpennine Trading Estate Rochdale Lancashire OL11 2PX Telephone: 01706 343343 Editor: Simon Brooke Email: sbrooke@gardinersecurity.co.uk www.gardinersecurity.co.uk

All prices correct at time of going to print. Gardiner Security cannot be held liable for any errors or omissions.





ALERT! NEWSLETTER

THE FULL STORY ON SECURITY



Issue 14 Jan 2003
www.gardinersecurity.co.uk



HAPPY NEW YEAR

New 2003 Product Guides and Price Lists

A very happy New Year and welcome to the new look ALERT newsletter from Gardiner Security. We wish you all a happy and prosperous 2003.

The new 2003 Product and Specifier guides are to be launched in February.

Each divisional Product Guide contains a whole host of new products from the industries top manufacturers, along with technical descriptions and photographs. The guides also detail the range of services available from Gardiner Security, such as training, delivery and technical support.

We continue to produce Specifier Guides, which are quick and easy to use with clear referencing, allowing installers to use them as a visual guide for customers when suggesting equipment.

The full range of catalogues including all five divisions; CCTV, Access Control, Intruder, Fire and Integrated Systems are available.

For a copy of these catalogues, please contact your local branch stating the company name, address, postcode, contact name and telephone number. Alternatively request your catalogues by email via sales@gardinersecurity.co.uk

Please state which of the five catalogues you require and they will be posted out to you as soon as they become available.


ACCESS CONTROL

CCTV

INTEGRATED SYSTEMS

INTRUDER

FIRE



GARDINER SECURITY NEWS

NO ONE DELIVERS MORE.



ORDER ON-LINE FROM GARDINER SECURITY

For quick and easy access to your account information and our product portfolio - register your credit account for e-commerce.

Our on-line ordering solution is an additional service that we offer exclusively to our customers, and can benefit each department whether it be sales, accounts, purchasing or logistics.

The new Gardiner E-Commerce site has undergone significant improvements following feedback from our customers. Our objectives for these improvements have been to make the site much more intuitive and easier to use. We have upgraded the software that runs the site, making the site much faster, and we have added a HELP! facility, and other additional features.

It is our aim to make ordering from us even easier than ever by providing a service to our customers that can be accessed 24 hours a day, 7 days a week, which enables our customers to view live pricing and account information, place and track orders, reprint invoices and much, much more.

The diagram below explains some of the features available on the site. If you would like more information, or a demonstration of what the site can do for your company please email Kim Whitehead, E-Business Manager on kwhitehead@gardinersecurity.co.uk

It's never been easier to deal with Gardiner Security.

Basket: This is a snap shot of the shopping basket, showing the number of lines that the user has selected and the net amount of these goods.

Account Details: Gives the user the ability to check account details held on our system - also gives a snapshot of the account status showing balance, available credit, last payment date and value.

Account Status: Shows the aged debt for the last 6 months, spend period to date, year to date, last year, and monthly statement amount due. From here invoice reprints can also be accessed, by clicking on the appropriate month.

Order Tracking: Allows the user to search for orders and quotes by branch, order/quote no., and customer reference. The order can be viewed along with the delivery status.

Invoice Reprints: Invoices are listed here, and can be searched by date, invoice no., and customer reference, the user is able to view invoices and re-print them.

Administration: Allows an authorised User to manage the access of other users within their organisation - an administrator can add, delete, edit users, set privileges and change passwords for maximum security.

Search Facility: This multi-criteria search engine allows the user to locate all goods that match the request.
Quick Add: allows the user to quickly add products to the basket if our part number is already known. There is also a facility to order "specials", i.e. products that we may not stock, or that may not appear on-line.



Quick Reference Navigation: Allows the user to navigate back to the Welcome Page, Log Out, View Basket and access the HELP! Facility.

Help: This is a fully indexed on-line help facility giving info and tips on using each part of the site. It also holds our security statement.

Alternative Products: If we don't have the stock available at the branch, or you would like to view other products that belong to the same product group, simply click on the part code to display further information on that product and then click on Group to view alternative products in that group.

Stock & Pricing: All prices seen on-line reflect the customers contract pricing where applicable. The user is also able to view whether the products required are in stock at the branch. Whenever the branch is out of stock, we will endeavour to fulfil the order from our central warehouse, without delay.

Placing an Order: When placing the order, the user is able to specify delivery address (if different from registered company address), and is also able to give special instructions to the branch. All orders will be fulfilled directly from the preferred branch the user can opt to collect the order, or have it delivered. Special deliveries will be delivered direct from our main distribution centre. All orders are confirmed by e-mail.

Save as Template: Allows you to save the contents of your basket as an order template. This facility allows the user to create a list of the orders that are placed the most frequently, therefore, in subsequent log-ins, the user will be able to place these orders in just a few "clicks".

Save as Quote: Allows the user to save the contents of their basket as a quote in case they wish to view or order it at a later date. The user can call up previous quotes that have been given over the phone, as well as ones requested on-line. All on-line quotes are confirmed by e-mail.

To register your account for e-commerce simply go to ecomm.gardinersecurity.co.uk/default.asp, click on



and fill in the on-line form. You will need to give your Gardiner account number and answer 6 simple questions. Accounts are normally activated within one to two working days, you will then be e-mailed a confirmation of your User Name and Password.

ACCESS CONTROL DIVISION

GIVING YOU ACCESS TO LEADING PRODUCTS.



CHAMBERLAIN® LIFTMASTER® GARAGE DOOR OPENERS

World's number 1 installed garage door opener.


Lift Master® is the world's premier professionally installed garage door opener brand, made by Chamberlain® - the world's largest manufacturer of garage door openers. The comprehensive range, brought to you by Gardiner Security, enables the installer to choose the right operator for the job.

The UK version is the model 4410EGB. Engineered for maximum durability and reliability, this operator comes with an industrial strength chain drive system and heavy-duty AC motor with more than enough power for any domestic garage door.

From the moment your customers see the LM600 and LM1000 garage door opener, they will know that they are something special - quiet operation, soft start/stop, auto close and safety reverse and are included.

Chamberlain® works hard to build better garage door opener products - every model is engineered to deliver the latest in safety security and convenience features.

For further information see the Access Control 2003 catalogue, pages four and five.



927-756 4410EGB-433C
Kit for canopy doors (includes canopy door converter arm)

ANOTHER FIRST FOR ABLOY®

New 'modular' electric lock

Abloy Security has introduced a totally new concept in electric locking technology with the launch of their new generation 'modular' solenoid lock.

The groundbreaking design of the EL580 and EL582 has enabled ABLOY to bring together all the features required of a solenoid, in one single lock case. Features such as the handing, handle control, voltage, bolt throw and locked or unlocked operation can now be selected and effortlessly converted, at the turn of a screw.

Time-consuming site surveys to determine the individual requirements of each door are now a thing of the past as the EL580 ensures you will never be without the

correct lock. In addition, stock inventory is automatically reduced, allowing for investment in larger quantities or other product lines.

The second major development is a new anti tamper feature, making the lock ideal for high security doors; when the bolt throw is set at 14mm, the deadbolt cannot be thrown by the trigger bolt, offering increased protection against manipulation. The lock also offers a purely mechanical anti-thrust feature which comes into operation as soon as the door is closed ensuring that the bolt cannot be manipulated from the outside.

The EL580 (split spindle) is also suitable for final exit doors as the inside handle offers free egress at all times. Both locks offer bolt monitoring, with the EL580 also having RQE indication.



With a choice of backset, 50 or 70mm, plus full handle control this high security lock is suitable for all types of interior or exterior doors.

PHILIPS CSI/BOSCH - PLENA ALL-IN-ONE

The professional PA solution for smaller applications

The PLENA All-in-One is the perfect compact public address solution for making announcements, paging people and providing background music. It features a high-performance 120 W mixer amplifier, a multi-format CD player and a digital FM/AM tuner in one stylish dark gray housing.

With three balanced microphone inputs and two individually selectable loudspeaker zones (each with its own volume control) the PLENA All-in-One is a fully featured amplifier. Its 120 W (rms) output power covers virtually all needs, particularly when used with top quality Philips CSI/BOSCH 100 V ceiling and cabinet loudspeakers. The main microphone input features priority

contacts and a VOX switching function for overriding the other inputs and the music. Announcements can be preceded by a two-tone chime. All microphone inputs have their own volume control.

Background music can be provided by the PLENA All-in-One's built-in digital FM/AM tuner with 15 presets to store radio stations, or by the professional quality CD player that replays both normal audio-CDs and MP3-encoded CD-Rs with up to a whole day of music. An auxiliary music input is also provided for external sources such as a DVD or cassette deck.



ANDY ASTILL

P.A. Systems
Gardiner Security have recently taken their involvement with P.A further, by the appointment of Andy Astill as a dedicated sales executive for the newly formed P.A. Division.



Andy has worked within the CCTV division of Gardiner Security for the last four years and has an extensive technical and working knowledge of the P.A. product range, especially within the areas of concert systems and stage equipment.

Andy is available for site visits, presentations and demonstrations. If you would like more information about P.A. Systems you can contact Andy on 07767 241338 or Email him at aastill@gardinersecurity.co.uk

CCTV DIVISION

TOTALLY FOCUSED ON MEETING YOUR NEEDS.

BEWATOR SURCHA MINIDOME

Enhance your security system

The new Bewator Surcha Minidome will enhance your security system by providing quality, reliable surveillance, both indoors and out.



Based on the original Surcha Minidome and now incorporating Molyx telemetry protocol, Bewator have improved both the performance and aesthetics of an already excellent product, whilst maintaining a competitive price.

These improvements include improved styling, integrated Visilynx/6000 and compatibility with many other third party telemetry control protocols. The Molyx telemetry protocol also offers the option of telemetry control 'over the coax'. This popular surveillance system now comes with a full warranty,

even when used in "continuous tour" mode. Surcha combines the best in contemporary styling with proven performance to give you security solutions without compromise.

IKEGAMI MULTI-FUNCTIONAL CAMERA

ICD-848P (AC230V, AC24V/DC12V)

The Ikegami multi-functional camera ICD-848P is coming, a switchable output day and night. The camera delivers 480 TV lines of horizontal resolution for high quality pictures. It achieves a minimum subject illumination of 0.15lux/F 1.4 in colour and 0,015 lux/F1.4 in black and white for high sensitivity. The very low smear level of -126dB is one of the ICD-848P's features.

The camera is capable of specifying only a backlight area displayed on the screen and reproducing the backlight screen as an optional image. With a RCU-701 or a RSU-871 (RS-232 control) the ICD-848P is controllable via a coaxial cable.



BEWATOR'S COMPACT CONNOISSEUR

First choice for style and installation

All too often low cost can mean indifferent quality - but not with Bewator's superb Connoisseur camera housing range. Attractively styled it is now available in a smaller size to suit fixed camera mounting. The new model benefits from an integral bracket with a unique cable management and locking system.

The "taper-lock" system allows smooth movement with solid locking, eliminating problems associated with similar products. The Connoisseur housing range is the best of its type available and should really be the first choice where style and ease of installation are concerned.

Compact Connoisseur

The Compact Connoisseur camera housing can be mounted on a wall or ceiling and offers discreet installation without compromising performance. The ingenious design means the Compact Connoisseur housing will look better and last longer. The combination of castings and extrusions gives this range of housings the best aesthetic styling whilst keeping ease of installation firmly in mind.

The easy in-situ access to camera and facilitates efficient and effective installation and maintenance. Investment in the latest design and production methods has enabled us to provide all these features while remaining very competitively priced, offering you better value for money.



Specification

- Internal dimensions L HW (mm) 225 x 80 x 85
- Versions available include: External with full cable management, heater and sunshield External unit with heater and sunshield for pan and tilt or conventional bracket mounting

Quality and the environment

- ISO 9001
- Weatherproofed to IP67

Features

- Unique adjustment and locking system
- Ceiling adaptor enables mounting from a canopy or ceiling whilst maintaining full cable management and aesthetic quality
- Suitable for all applications - commercial, industrial, coastal and town centres, as well as in environments with high ambient temperatures (tropical) and areas exposed to strong direct sunlight
- Easy cable routes through the integral bracket will also accommodate 20mm flexible conduit allowing low-voltage cables to be insulated from power supply cables to fully comply with wiring regulations

- Optional Integral cooling fan and camera power supply
- Full cable management for the price of a conventional housing and bracket
- "Slide and hang" easy in-situ access to camera and lens facilitates efficient and effective installation and maintenance
- Optional tamper switch and vandal resistant screws

CUSTOMER NOTICE- PHILIPS REO OFFER EXTENDED UNTIL END OF MARCH 2003. SEE LOCAL BRANCH FOR DETAILS.



INTEGRATED SYSTEMS DIVISION

CONNECTING YOU TO THE BEST PRODUCTS.



SANYO - IP NETWORK CAMERA AND SERVER

New developments from SANYO

Sanyo have developed an IP network camera and a network server in response to increasing demand from customers who wish to capitalise on the opportunities provided by their investment in computer networks.

VCC-WB2000P Network Camera

Key Features:

- CS Mount lens – The VCC-WB2000P accepts standard CS mount lenses.
- Up to 30 frames per second at 640x 480 pixels JPEG 2000 compression.
- 16 Megabytes of pre/post alarm images can be stored in the camera.
- PCMCIA slot for additional alarm buffer memory and optional wireless LAN.
- Motion detection.
- Alarm input/output terminal.
- Maintenance via RS232C.

VSP-SV2000P Network Server

The VSP –SV2000P provides the ability to distribute images from standard CCTV around a LAN network. When used with any of the Sanyo 520TV lines high resolution cameras, the quality of the images delivered to any PC on the system are remarkable.

Key Features:

- Four composite video inputs and loop through outputs.
- Up to 30 frames per second at 640x 480 pixels JPEG 2000 compression.
- Four alarm inputs and one alarm output.
- Pre/post alarm image buffer memory.
- Back-up flash card in the event of a LAN failure.
- Multi-user access –up to 16 users.
- RS485 equipment control over IP network.
- PCMCIA slot for additional alarm buffer memory and optional wireless LAN.



DESTINY™-IP PRODUCT RANGE

Destiny™-IP from Baxall Ltd

Designed around Internet Protocol (IP), Destiny™-IP from Baxall Ltd can be used to send full-motion, real-time, digital quality video, together with sound and data, across any network that supports Transmission Control or Internet Protocols.

There are a number of products now in the range, as follows:

Destiny™-IP Camera

Offers top quality digital CCTV surveillance, a wider choice of camera positions for maximum surveillance efficiency and the ability to view the same image simultaneously from numerous locations. A constant picture quality is maintained regardless of the bit rate which can vary between 8Kbps to 2.0Mbps, unless the user decides to cap the bit-rate.

Destiny™-IP Codec

Can be configured as a server (encoder) or client (decoder). As a server it can support four video inputs, which will offer up to 25 fps from a single camera or 4/5fps from each camera (i.e. switching through each input). Using Destiny™-IP Codecs, PC users can set-up all IP addresses and view and control any camera on the system, either as a single, full screen or quad display.



Destiny™-IP View

A standard, single user configuration and viewing tool that comes with PTZ, audio and data, and alarm functionality. Ideal for a small to medium sized systems requiring one point of PC control, but numerous cameras and traditional CCTV monitors with either a central location or remote monitoring sites. Highly flexible, it supports H261 and MJPEG compression, G711 audio, RS232, RS422 and RS485 data formats. Supplied free of charge when Destiny™-IP camera or codec purchased.

Other items in the Destiny range include:

- Destiny™-IP Network Video Recorder
- Destiny™-IP CCTV Lite
- Destiny™-IP CCTV Plus



AXIS 2130 PTZ NETWORK CAMERA

All-in-one solution

Pan, Tilt and Zoom live video over your network. The AXIS 2130 PTZ Network Camera is an all-in-one Pan/Tilt/Zoom solution for networks. Including an Auto Focus lens with 16X optical zoom it provides rapid focus and quick visual access to surveillance objects.

Offering pre/post alarm and preset positioning within a compact design, it is ideal for monitoring large areas from multiple angles. Perfect for remotely monitoring people and property in buildings, offices, warehouses, chain stores and retail outlets.

With the AXIS 2130—you're just one click away from live video with Pan, Tilt and Zoom functionality in your Web browser.



INTRUDER DIVISION

GETTING INSIDE YOUR BUSINESS.

TIME TO REVIEW

GJD's lighting controller range

It is normally at this time of year, many property owners plan their review of their security systems. Offering equipment that reduces the opportunity of crime can have the bonus of automatically reducing the fear of crime.

Using the most up to date technology GJD produce an innovative range of external detectors, hard wire and wire free, CCTV and security lighting control units that are highly respected throughout the security industry

Within GJD's lighting controller range, a series of multi-sensor systems are available capable of operating from 1500W to 30,000W of lighting. Informative features including 24-hour internal sounder, visual indicators and additional control points. GJD has a complete range of detectors, central to which is its proven Elite recognised as being one of the most innovative, flexible and cost-effective external PIRs currently available.

This low voltage, weatherproof external passive infra red detector simultaneously or individually controls not only lights but also CCTV equipment. The Elite features two sets of voltage free contacts with selectable timing options, which enable the product to be used in any low voltage alarm activated switching application. A further two negative outputs allow the simultaneous switching of infra-red or flood lighting.



ELMDENE RAPIER

External Sounder

The Elmdene Rapier Stainless Steel external sounder was designed to meet the requirements of BS7042 for High Security Installations but the range can also be used on BS4737 installations. The stylish low profile design is produced in the three models Rapier 2000, 4000 and 6000 versions, supplying 118dB at 1m.

The Rapier range is ideal for prestigious installations or projects and where vandal resistant protection is required.

The units offer dual steel skin enclosures with fully enclosed electronics. All models include Dual piezo sounders with twin streamlined strobes and includes twin comfort LEDs.

Full SAB facility works in-conjunction with the 20 minute cut off timer and Engineer mode for silent set up.

The Rapier 2000 includes anti drill protection with additional battery capacity to comply with BS7042. Other models in the Elmdene range, Vertec, HS500, Starlight, Prima.

SCAN PROX

Just plug-on and the job's done!

ScanProx is an ingeniously simple new concept in proximity readers from Cooper Security. It's a plug-on module that fits neatly into an upgraded Scantronic keypad turning it instantly into a combined keypad and proximity reader.

- One module compatible with all Scantronic ACPO compliant products
- Simple to install, plugs on to the keypad pcb
- Once plugged on to the keypad, it allows user verification and identification in the panel event log

Easy to install, easy to use

Compatibility with Scantronic keypads can be checked at a glance - the panels, keypads and proximity module boxes are all clearly marked with a yellow "ScanProx" sticker. You'll love ScanProx because it can be installed in minutes. Your customers will love it because it's so easy to use - no more PIN codes to remember, and a reduced risk of false alarms caused by keying in the wrong PIN code. Simply present the proximity tag to the keypad with the ScanProx module, to set, unset or access the menu options. The discreet module sits inside the keypad with no need to add additional equipment on the wall.



MULTIBOX

The new concept in external sounders

The revolutionary Multibox from CQR was successfully launched recently with an excellent response from installers keen to obtain the product offering a new concept for a traditional application.

Now in stock at all Gardiner branches, CQR and Gardiner expect a bright future for the new Multibox, which offers a fully BS compliant self contained sounder, with a choice from 4 aesthetically pleasing external covers.

So now it's all about choice, for the first time we can offer you the installer, and your customer, the benefits of a standard base unit, but this time with the choice of an external cover to meet individual needs which comes free of charge

And there's even more for those customers requiring an existing or newly designed logo, CQR's new design and graphics facility will deliver those covers once design is agreed, direct to your premises, within 72 hours and still free of charge.



FIRE DIVISION

TAKING THE HEAT OUT OF FIRE DETECTION.



RADAL TECHNOLOGY FIREVAC

Professional fire control panels

Specifically developed for the professional installer, the new FireVac range of conventional fire control panels offers the latest design concepts to provide ease of installation. The spacious high impact enclosure allows full access for cable termination and can accommodate up to 2 x 7Ah standby batteries. In addition, each FireVac panel is supplied with 3 replacement fuses located in a specially moulded section of the front door.



Recently approved by LPCB to EN54 parts 2 & 4, the FireVac range also ensures compliance with BS5839 by providing diode EOL devices in order to signal fault when one or more detectors are removed from circuit. This standard feature eliminates the need for expensive, additional active EOL devices, making FireVac one of the most cost-effective range of fire panels on the market today.

SPEL-Lite

Weatherproof luminaire

SPELs versatile SPEL-Lite 8 watt bulkhead is an attractive weatherproof luminaire with an IP65 rating.

This tough, Kitemarked, all-polycarbonate unit comes with a white base and clear screw-fixed diffuser as standard, a hinged gear tray speeds installation time. The Technoliner lens system allows optimum light transmission and distribution, giving enhanced spacing characteristics.

In addition to the maintained and non-maintained types, SPEL-Lite is available in 24v, 50v and 110v central battery slave versions.

Where interior aesthetics require a more subtle installation, a semi-recessing kit with white, brass or chrome finish is available at extra cost.



SPEL-Lite is just one product from the extensive range of emergency and mains luminaries and exit signs manufactured in the UK by SPEL Limited.

As an approved supplier, SPEL Limited is proud of its association with Gardiner Fire Division and has an ongoing policy of new product development and close client liaison in order to offer the best service and solutions in todays demanding marketplace.

FIRESENSE

Concept Fire Alarm Panels

A range of non-addressable fire alarm panels suitable for use with either Apollo or Hochiki fire detectors.

The range offers unique flexibility to allow a number of installation options. Either, use as a two wire fire alarm panel using specialised fulleon two wire sounders, together with your preferred fire detectors and call points connected on the same fireproof pair of cable.

Or use as a conventional, non-addressable alarm panel using separate detection alarm circuits, or as a combination of both two wire and conventional wiring.



C-TEC

BF367 Auxiliary Device Isolator

- Allows a 24V d.c. output from a fire alarm control panel to be remotely isolated.
- Ideal for preventing external equipment (such as autodiallers, rollershutter doors, etc) from being inadvertently triggered during routine test and maintenance.
- Incorporates an isolating keyswitch, a high intensity amber LED and a white 'write on' area for the addition of personalised text such as equipment locations.
- Mounts on 25mm single gang flush or surface back boxes.



VANTAGE SOUNDER

The New Vantage range of Sounders and Sounder/Beacons

Gardiner Security is pleased to announce the arrival of the new Vantage & Vantage Combi sounders from Cranford Controls Ltd. These innovative products complement the popular Vector Sounder base and Vara single gang sounder.

With its ability to increase sound output by up to 105dB, the Vantage range also is compact and is available with a choice of shallow or deep mounting bases. The new deep mounting base has a disposable cover plate, ideal for either surface or flush wiring and reduces the need for stocking two types of sounder bases.

The new Vantage Combi is a combined sounder beacon. Vantage Combi uses the latest led technology to give a significant light output for a much lower current requirement.

