



NO ONE DELIVERS MORE.

ALERT!

Published quarterly by Gardiner Security Limited

Units 25-27 Transpennine Trading Estate Rochdale Lancashire OL11 2PX Telephone: 01706 343343 Editor: Kimberly Whitehead Email: kwhitehead@gardinersecurity.co.uk www.gardinersecurity.co.uk

All prices correct at time of going to print. Gardiner Security cannot be held liable for any errors or omissions.



www.gardinersecurity.co.uk

ISSUE ELEVEN MARCH 2002

ALERT!

NEWSLETTER

THE FULL STORY ON SECURITY



New 2002 Product Guides and Price lists.

The new 2002 Product and Specifier Guides are due out in March.

Designed to match its new corporate style, the colour-indexed Product Guides also include technical and reference data for installers to make selections and information on Gardiner's wide range of support services, including training, delivery and pre-assembly of CCTV products.

Containing a whole host of new products from the world's top manufacturers, the Gardiner Security Guides are the complete bible of security products.

The Specifier Guides are comprehensive with clear referencing, and are quick and easy to use. They allow installers to show customers the catalogue when suggesting equipment. The Product Guides, with full price lists allow installers to have the prices at hand when supplying quotations.

Due out in May is the Integrated Systems Product Guide, the newest addition to the family, featuring;

- Structured Cabling;
- Network Solutions including TCP/IP;
- Home Networking;
- Home Automation; and
- Integrated Security Systems.

Whilst new additions to the Access Control catalogue include the Philips Public Address System which is featured in this issue of ALERT!

For a copy of these catalogues, please contact your local branch or email sales@gardinersecurity.co.uk stating the company name, address, post code, contact name and telephone number.

Please state which of the five catalogues you require and they will be posted out to you as soon as they become available.



CCTV DIVISION

VIDEMECH SURCHA DOME

Precision control

Based on the original Surcha Minidome and now incorporating Molynx Videmach technology, the new dome includes the following improvements:

- New aesthetically designed styling and more discreet casing
- Now comes with a full warranty, even when used in "continuous tour" mode

Additionally, the Surcha Minidome now features in-built Visilynx/6000 control protocol providing telemetry control by coax or twisted pair, and compatibility with many other popular third-party telemetry protocols.

This easy to fit system has optical encoders to give improved preset accuracy and a longer life than conventional potentiometer technology. It has DC motors that enable precise speed control across the entire speed range.

Benefits

- Simple design and construction keeps quality high, cost low and performance reliable
- Full warranty, even when used on 'continuous tour mode'
- Low installation and commissioning cost - works first time
- Competitively priced
- Compatible with a wide-range of third party telemetry controllers

Features

- EasyFit system for simple installation/servicing
- Optical encoders give improved preset accuracy and longer life than conventional potentiometer technology
- Accuracy, repeatability, longevity, even under extensive use of tours
- Improved, more discreet casing
- DC motors enable precise speed control across the entire speed range
- Full Proportional Speed at all times, regardless of zoom position, ensuring the operator is always in control - not the electronics
- 'Privacy-Zone' masking option for external versions



DEDICATED MICROS

Digital4 & Digital4e

These entry level standalone digital multiplex recorders are cost effective, quick and easy to install and combine video multiplexing, digital video recording and audio recording all in one box. They are digital solutions for smaller applications where a dedicated CCTV system is required. Features include:

- Instantly familiar digital video multiplexing format
- No VCR tapes or maintenance
- Up to one months recordings in one box
- Fast access to high quality digital recordings
- Records and plays back at the same time
- Digital signature applied to all recorded images
- Built in activity detection - gives functionality of alarms without the wiring

The Digital4 range has remote monitoring capability of live and recorded images, the Digital4 via PPP with the use of a modem for standalone applications, the Digital4e via a standard Ethernet connection for use on a LAN or WAN. Both products offer remote viewing via the Internet.



DISCOUNT DEALS

Register now to receive regular updates of discount deals on end of line and sale items.

Contact **Jill Bradburn** on **01706 343343** or email jbradburn@gardinersecurity.co.uk

DATA PROTECTION ACT 1998

Tape Management Packages

If an end user has ordered a CCTV system with recording capability, he/she must notify the Data Protection Commission under the terms of the Data Protection Act 1998. In this case the only exception is if the system is installed in a private domestic residence. Failure to do so could result in a fine of up to £5,000.

In order to comply with the requirements of The Act it is essential that access to and disclosure of recorded images are restricted and carefully controlled, to ensure that the rights of individuals are preserved. It is also vital that the chain of evidence remains intact should the recording be required for evidential purposes.

In order to achieve these objectives Video Management Services have developed a range of entry-level packages specifically for small systems typically operated by retail staff & management where no more than one or two VCR's are employed recording in 24 hour time lapse mode.



MANUFACTURER	PRODUCT CODE	DESCRIPTION	TRADE PRICE
BEWATOR	326-130	SURCHA DOME	£1199.00
DEDICATED MICROS	346-151	D440GB	£1490.00
	346-152	D4160GB	£2240.00
	346-158	D4E40GB	£1490.00
	346-159	D4E160GB	£2240.00
VMS	345-035	COMPLIANCE PACK	£ 103.00





ACCESS CONTROL DIVISION



PUBLIC ADDRESS SYSTEM FROM PHILIPS

Clarity over the airwaves

Gardiner Security now supply a Public Address system from Philips CSI. The Plena range can provide a solution for the majority of situations with a selection of amplifiers, a source unit featuring a CD player and tuner along with call stations for announcements.

Whether you need a modest announcement system or a fully featured multi-zone solution, Plena has the building blocks required. To complete your public address system Gardiner Security can supply a variety of Philips loudspeakers: ceiling, column, horn and more. The Philips FlexiLine amplifier is available to provide an even more cost effective solution.



NEW SOFTWARE FOR SENTINEL

Morley Electronic Controllers

Sentinel Lite is an easy to use PC Access Control Management software package designed for use with Morley Electronics Sentinel Controllers. Sentinel Lite is designed to operate on a standard PC running Windows programmes 95, 98, 2000, ME or NT and with its Microsoft Access Database, will operate like any other "Office" Programme. You do not need a dedicated PC, special databases or sophisticated PC hardware.

- 100,000 entry transaction log
- Log reporting with record sorting and filtering
- Real time transaction monitor display
- 4,000 cardholders with unlimited access profiles
- Graphical access rights overview
- Password protected system user access levels

NEW FROM BEWATOR COTAG

"Hands free" and proximity readers

The new Cotag readers, designed with users, architects and specifiers in mind, are slimline, elegant, easily installed and are fully backwards compatible with existing installations.

The new HF100 'Hands Free' Reading Head delivers a typical reading range of 1m, ensuring unrivaled end user convenience and high control point throughput when used in conjunction with Cotag's active technology cards. The new PR100 Proximity Reading Head compliments the HF100 with its distinctive, modern styling. Both readers have integral status LEDs, local sounders and are suitable for internal and external use.

'Designer' hands free cards

The new coloured 928 cards come in a variety of translucent colours. Based on the same specification as the popular Cotag 928 card, all are field programmable/reprogrammable, robust, reliable and offer superior read-range performance. With a manufacturers battery life guarantee of five years, true 'hands free' is a practical alternative to standard proximity, and is highly desirable amongst its users.

Granta primo software

Bewator Cotag has launched an extension to its Granta range. The new Granta Primo software has been designed to simplify both the configuration and administration of Granta access control systems.

Because the system is so versatile, it can be adapted to the changing requirements of individual users. Upgrading all Granta access control and security management software is straightforward, allowing options such as video badging, visitor management, CCTV management and alarm graphics to be easily added.



BELL SYSTEMS

Vandal door entry telephone panels in 5 days!

Bell Systems now offers stainless vandal resistant panels in just 5 working days* Significant investment from Bell Systems for increasing the public housing market has achieved;

- Large reductions in costs for panels with standard layouts and engraving. Check out the new prices in the Gardiner Security 2002 product guides
- Delivery times reduced to 5 working days on standard sizes
- Surface stainless steel panels for up to 36 buttons

The front door environment and panel on many buildings is often vulnerable due to vandalism. This is common on systems installed on local authority and public housing. Although it is impossible to cater for all acts of vandalism, our VRP panels are designed to resist all but the most determined of vandals. The VRP vandal resistant panels can be installed with any of our door entry telephones and control equipment. They are manufactured from

12 swg polished stainless steel as standard and optionally in 4mm anodised aluminium or solid brass. They are supplied for flush or surface mounting with tamper proof bolts. The panel can incorporate optional access control devices; such as a PAC reader, stainless steel keypad or camera.

* 5 working days from when BSTL receives the order via Gardiner Security

DISCOUNT DEALS

Register now to receive regular updates of discount deals on end of line and sale items.

Contact **Jill Bradburn** on **01706 343343** or email jbradburn@gardinersecurity.co.uk



INTRUDER DIVISION

RELIABLE? FLEXIBLE? PROTECTION?

Get the real thing from ADE

The new G3 Range of domestic Intruder alarm panels is highly reliable and offers excellent protection and is now even easier to install. It features many improvements requested by YOU - including an improved installation booklet.

In addition, the new G3 Range of intruder alarm panels provides even greater flexibility of programming. The new range includes:

- 8SP401 Accenta G3 8-zone, large case remote keypad and communicating
- 8SP400 Accenta Mini G3 8-zone, compact case, remote keypad and communicating (pictured)
- 8EP395 Optima G3 8-zone, large case, on-board keypad and communicating
- 8EP396 Optima Compact G3 8-zone, compact case, on-board keypad



IMPORTANT PRODUCT INFORMATION

Cooper Menvier

This is a notification of change in product regarding the **9800UK-50 metal enclosure** from Cooper Menvier.

The tool that manufactures the enclosure has broken down, and is irreparable, the manufacturer has moved to a different and larger enclosure. The change will take place over the next six to eight weeks, the difference being the old box size at 300 x 300 x 80mm changes to the **new box size 310 x 385 x 95mm**.

CUSTOMER ANNOUNCEMENT

DS Detections Systems product discontinuation

DS Detection Systems wish to inform you that as from the 1st January 2002 please note that the following items will be put on a short list for discontinuation:

- Applique Range (both standard and coms version)
- This includes the Applique Oval shape keypad (Ap-Key)
- Rebel 8
- Rebel 9
- Rebel RKA

THE COMPLETE PACKAGE

Pyronix Control Panel

New in the UK from Pyronix is the Matrix 832 Control Panel and Accessories. This range has already proved to be highly successful in Pyronix' overseas markets for some 18 months. A combination of the ancillary products and added value features ensures that Pyronix provides you with far more than a just a control panel. Detailed below are just some of these features:

- Fully flexible, modular system
- Zone and output expander modules
- LCD Keypad and Proximity Reader options
- Certified engineer training
- Dedicated technical support team
- Comprehensive sales and marketing support
- Monitoring and Upload / Download software

All companies purchasing a Matrix can claim a free of charge RS232 lead to enable local programming from a laptop computer simply by registering their details with the Pyronix Marketing Department on 0800 0858730.

So, if you're looking for an expandable, partitioning system, which complies with the ACPO policy, the Matrix will offer you this and much, much more at no additional expense.

For further details on the Matrix and other recent developments from Pyronix including the Veritec P2 sequential confirmation detector and the Verified Systems range of audio verification range, contact your local Gardiner Security Branch.



ELMDENE FS RANGE

FS Range of 12v Power Supplies

The FS range from Elmdene has been designed with the ACPO policy requirements in mind. The products have a set of relay contacts especially to indicate the health of the unit to a remote site.

The range, from 1A to 5A all feature full continuous current to load whilst additionally being able to charge the standby battery. A host of battery management features including deep discharge protection ensure the best possible performance from the system.



The units also feature full compliance with all necessary standards, which ensures minimum false alarms due to brownouts, main's transients and RF interference.

The installer is also well supported with electronic overload protection, faulty or missing battery indication and many other features that make the FS Range the best possible value for money and easy to use.

MANUFACTURER	PRODUCT CODE	DESCRIPTION	TRADE PRICE
ADE	003-129	ACCENTA G3	£54.87
	003-128	ACCENTA MINI G3	£48.05
	001-113	OPTIMA G3	£45.14
	001-114	OPTIMA COMPACT G3	£39.20
	PYRONIX	002-113	MATRIX 832 METAL
	002-114	MATRIX 832 POLYCARBONATE	£47.36
ELMDENE	051-197	1381 FSA	£35.85
	051-201	1382 FSA	£51.96
	051-200	1383 FSB	£81.52
	051-199	1384 FSB	£128.05





The World's Best Sometimes Have Surprising Backgrounds

In 1940 Pele was born Edson Arantes do Nascimento in Tres Coracoes, one of the poorest villages in southern Brazil. From a penniless family he first learned his trade kicking a ball around the slums of Sao Paulo.

From these humble beginnings Pele went on to score 1283 *first class* goals including 77 goals in just 92 appearances for Brazil.

He made an *acclaimed debut* for Brazil at just 16 years old and went on to score 12 goals in 4 world cups with Brazil winning the competition in 1958, 1962 and 1970.

It wasn't just his goals, it was the way he played the game. His *superb vision* and lightning speed made Pele stand out from a generation of fine players. His *astonishing control* and amazing trickery ensured that Pele would never be forgotten.

A quarter of a century since his retirement Pele remains the greatest footballer of all time. A *wonderful performer* and a consummate professional on and off the pitch.

The *Complete Package*.

Forget Tradition, Think Innovation.

The Matrix 832 Control Panel and Accessories from Pyronix.



Call Now 0800 085 8730

www.matrixpanel.com



For branch listings please call: 01706 343343 or Email: sales@gardinersecurity.co.uk www.gardinersecurity.co.uk



FIRE DIVISION

FULLEON WARNING BEACONS

RL Beacons

The RL Beacons are traditional rotating mirror types that offer a wide range of incandescent light sources. This type of beacon is highly visible as the light source is permanently on when the unit is operating, the rotating mirror providing a sweeping, concentrated beam for even greater effectiveness in attracting attention. The lamps used are common, easily available types that provide long life and simple replacement.

A traditional rotating mirror beacon, the RL range offers an exceptional choice of operating voltages and incandescent light sources. With BS or DIN style bases, UV stable polycarbonate domes and protection to IP 65 the range is particularly suited to commercial and industrial applications.



XL Beacons

The XL Beacons are high output xenon flash tube units that are visually identical in appearance to the RL types. All XL beacons use the same 10 Joule flash tube which has its light output further enhanced by a carefully designed dioptic (Fresnel) lens.

A user selectable single or dual flash function is provided. The dual flash at slightly reduced power of 7.5 joules, can aid visibility in some conditions. Low voltage versions are suitable for use on either 12Vdc or 24Vdc.

The XL beacons have a power consumption of 700mA and light output of 10j when set in 24V dc mains mode

Two base formats are available to suit various wiring and installation practices of both RL and XL beacons. They come with five lens colours, the BS base diameter measures 126mm and the DIN wide base measures a diameter of 150mm. Both beacons have a height of 250mm

FLASHTONE™

Strobe sounder combination

The FlashTone™ - designed and manufactured by the acoustic experts Hosiden Besson combines the modern aesthetics of the Banshee™ and the very latest strobe technology to create an extremely efficient strobe / sounder combination. Available in a wide choice of lens colours, the FlashTone™ will suit the majority of fire and security needs where conventional sound requires the back up of a visual alarm.

- Low power consumption
- Easily installed
- Deep base available to IP66
- Wide range of lens colour options
- Modern aesthetic design



MICOTECH'S FLASHGUARD RANGE

Family of beacons

The Flashguard family of beacons is ideal for visual status indication in industrial environments, security and fire systems, as well as hazard warning situations.

Standard, user selectable 12 or 24Vdc and 240Vac, xenon beacons are sold with integral vandal resistant locking mechanism between the body and the base that can be disabled on the low voltage variants if required. The units' two-part white polycarbonate base and sealed body design allows ease of installation, either surface or box mounted.

LED beacons, mains or dc voltage, are also available. Designed for applications where low current consumption, long life, reliability and synchronised beacon flashing or a permanent 'power on' visual indication is important.



All units have a minimum rating of IP65.

MANUFACTURER	PRODUCT CODE	DESCRIPTION	TRADE PRICE
FULLEON	619-075	RL Beacon 24V	£105.00
	619-074	RL Beacon 240V	£105.00
	619-073	XL Beacon 24V	£150.00
	619-072	XL Beacon 240V	£150.00
VIMPEX	618-136	Sounder Strobe White/Red Lens	£37.00
FLASHTONE	618-137	Sounder Strobe Red/Clear Lens	£37.00
	618-138	Sounder Strobe Red/Red Lens	£37.00
	618-139	Sounder Strobe White/Clear Lens	£37.00
MICOTECH	619-071	Xenon Beacon (red) 24V 3Watt	£18.39
FLASHGUARD	619-070	Xenon Beacon (red) 24V 2Watt	£16.75
	619-069	LED Beacon 24V	£21.26
	619-068	Lg Xenon Beacon (red) 24V 2.9j	£ 62.26
	619-067	Lg Xenon Beacon (red) 24V 10j	£144.52
	619-066	Rotating Xenon beacon 24V	£ 91.66



INTEGRATED SYSTEMS DIVISION



NETWORK CAMERA SYSTEM

State of the art technology from JVC Professional

The latest addition to JVC's V.NETWORKS series, the VN-C30U brings a new standard of quality and performance to network-based imaging. Featuring a powerful 1/4" 380,000-Pixel CCD, the VN-C30U delivers dramatically improved picture quality that's maintained even in close-up telephoto shots by a built-in 15x optical zoom.

Image delivery has been improved too with the addition of MPEG1 compression for smoother, real-time motion. With a built-in 10Base-T/100Base-TX interface, this versatile camera can be plugged into just about any network for high-speed data transfer and operation.

Other features include:

- Built-in Multi Angle Pan/Tilt Capability giving control over horizontal, vertical and diagonal camera movement.
- 10 presets are also available.
- Alarm In/Out Function allows the VN-C30U to be set to work in conjunction with Infrared sensor or door alarm
- Viewer Controller Software Included for remote control of camera operations including picture quality setting, operation of record and playback, and pan/tilt/zoom control.



PHILIPS CSI

NetCam4

- 1/3-inch Format CCD Colour Camera
- Up to 720x486 Resolution
- Wavelet Compression
- TCP/IP Protocols for Communication on Intranets and Internet
- 10BaseT Ethernet Output
- Integrated Server for 3 Additional Cameras

The NetCam4 is an Internet-based high resolution camera. It connects directly to an Ethernet network and provides live motion pictures over the internet, using image compression format. The NetCam4 is a microprocessor-based device that contains a digital color camera, web server functionality, with internal Home pages, optimized for image compression and physical Ethernet connection.



NetCamDVR

- Integrated Server for 3 Additional Cameras
- 1/3-inch Format, High Resolution CCD Color Camera
- 4 Channel Multiplexed DVR
- Wavelet Compression
- TCP/IP Protocols for Communication on Intranets and Internet
- 10BaseT Ethernet Output

The NetCam DVR is a 4-channel camera style DVR all-in-one system with a networking device, a high resolution CCD module and a HDD (6 GB standard and changeable). The unit only needs a designated power supply and network in order to operate.

VIDEO SURVEILLANCE FROM SONY

Video network station

The Sony SNT-V304 Video Network Station enables video surveillance cameras to be remotely monitored and controlled over Local Area Networks (LANs) and Wider Area Networks (WANs) in a simple and cost-effective way. Accepting the video output of up to 4 cameras, the SNT-V304 provides remote monitoring and control using networked PCs running a web browser, via a built-in home page.

It is simple to install, use and maintain, making use of existing networks and offering limitless possibilities for the use of video. Several SNT-V304 units can be connected to a network to expand the system, providing great flexibility. A Sony HSR-1/2P hybrid digital recorder can also be connected and remotely controlled to provide picture archiving, as well as up to 16 additional camera inputs. The SNT-V304 also features Image Alarm Buffering which ensures that no critical moments are missed.



First IP server video camera from Sony

The Sony SNC-VL10 is the first Sony video camera to incorporate a built in IP server and is suitable for both surveillance and remote applications. It can stream up to 25 frames per second, captured through its integrated vari-focal lens. The SNC-VL10 is capable of direct connection to any Local Area Network or the Internet. Images can be viewed via a standard web browser or suitable software on a networked PC, and shared by numerous users, making the SNC-VL10 ideal for remote monitoring applications. Alarm or event handling can be effectively achieved using either the camera's embedded motion detector or a sensor input. The SNC-VL10 incorporates a composite video output, enabling it to be integrated seamlessly into existing analogue systems, allowing great flexibility in installation and deployment.

Due out in April 2002

