

SELF CONTAINED EXTERNAL SOUNDERS (continued)

Grade Code

ELMDENE (2 Year Warranty)

Quartz features include: Single and twin piezo, 112 or 115db @ 1m, low current 230mA including integral strobe, twin flashing LEDs, full SAB or SCB, Engineer silent start-up, power save strobe feature, cut-off timer and battery. Microprocessor controlled. PD6662/EN50131 compliant.

3 **033-0227 Quartz 1000.** Single piezo unit with Strobe, 112db at 1m, 230mA in full alarm including strobe.

3 **033-0228 Quartz 3000.** Twin piezo unit with Strobe, 115db at 1m, 230mA in full alarm including strobe.

032-1060 Quartz cover - White cover / Blue strobe.

033-0229 Quartz Dummy Back Plate.

Vertec features include: Single and twin piezo, 112 or 118db @ 1m, low current 300mA including integral strobe, twin flashing LEDs, SAB, tamper return, Engineer silent start-up, cut-off timer and battery, microprocessor controlled. PD6662/EN50131 compliant.

3 **033-0162 Vertec 1000.** Single piezo unit with Strobe, 112db at 1m, 300mA in full alarm including strobe, fixed twin LEDs.

3 **033-0161 Vertec 3000.** Twin piezo unit with Strobe, 118db at 1m, 300mA in full alarm including strobe + Vertec features.

072-0984 Vertec cover - White cover / Blue strobe.

033-0163 Vertec Dummy Backplate

3 **033-0160 Vertec 5000 Live backplate**

3 **033-0224 Vertec 7000.** Upgrade product of the Vertec 3000 + SAB or SCB, multi tone selection, active battery and piezo monitoring with separate fault output, remote test input and Engineering set up features.

Starlight/Sounda features include: Single and twin piezo, 108 or 118db @ 1m, low current consumption including integral strobe, comfort LED's, SAB, cut-off timer and battery. microprocessor controlled. PD6662/EN50131 compliant.

3 **033-0083 Sounda.** Single piezo unit with Strobe, 108db at 1m, 300mA in full alarm including strobe.

3 **033-0086 Starlight 2000.** Twin piezo unit with Strobe, 118db at 1m, 350mA in full alarm including strobe.

072-0673 Starlight cover - White cover/Blue strobe.

033-0082 Starlight Dummy Backplate.

HS features. Single and twin piezo, 112 or 118db @ 1m, low current 300mA including integral strobe, twin flashing LEDs, SAB, tamper return, Engineer silent start-up, cut-off timer and battery, microprocessor controlled. PD6662/EN50131 compliant.

3 **033-0114 HS500C** Single piezo unit with Strobe, 112db at 1m, 300mA in full alarm including strobe, fixed twin LEDs, no silent engineer start.

3 **033-0116 HS500** Twin piezo unit with Strobe, 118db at 1m, 300mA in full alarm including strobe + HS features.

3 **033-0115 HS 500M** Twin piezo unit with Strobe, 118db at 1m, 300mA in full alarm including strobe + HS features with metal backplate and inner cover.

3 **033-0221 HS700** Upgrade product of the HS 500 + SAB or SCB, multi tone selection, active battery and piezo monitoring with separate fault output, remote test input and Engineering set up features. Also available in Metal.

072-0709 HS cover translucent - White cover.

033-0113 HS Dummy Backplate.

INTELLISENSE BY HONEYWELL (2 1/2 Year Warranty)

3 **074-0565 AG3LB/P:** AG3 External Sounder. Sound output of 116dB, High impact polycarbonate moulding, 2 Watt Xenon Strobe Tube, Alternating LEDs, NiCadback-up battery included, Front & Rear tamper, Sweeper Sounder sound.

074-0567 AG3 White/Blue Cover Only.

074-0566 AG3 Dummy Backplate.

Multibox External sounder

spoilt for choice
standard or plus versions
six cover options



www.cqr.co.uk



Suitable for use in PD6662 & EN50131 SECURITY GRADE 3 SYSTEMS

SELF CONTAINED EXTERNAL SOUNDERS (continued)

Grade Code

CQR (2 Year Warranty)

Multibox standard, a complete polycarbonate external sounder plus a choice from 6 external covers all inclusive. Conformally coated electronics are also protected by a further inner cover, 116dB(A), single piezo, 310 mA current consumption, trigger monitoring and twin led's, complete with self diagnostics on battery and tamper. With siren and strobe trigger wire monitoring the product provides full integrity of the ring command and thus complies with the requirements for Security Grade 3.

- 3 **074-0007** Multibox Standard blue/live base.
- 074-0005** Multibox Aries Cover (round).
- 074-0008** Multibox Corona Cover (oval).
- 074-0009** Multibox Taurus Cover (octagon).
- 074-0010** Multibox Libra Cover (shield).
- 074-1153** Multibox Leo Cover (Oblong).
- 074-1154** Multibox Virgo Cover (Flat plate).

Multibox Plus, a complete polycarbonate external sounder plus a choice from 6 external covers all-inclusive. A further inner cover also protects conformally coated electronics. 118dB(A), Twin piezos, 380mA current consumption, twin alternately flashing leds, 3/15 minute cut off timers, SAB/SCB option, a set input facility, a useful system fail/trouble output and self diagnostics covering the battery, tamper, piezos and strobe. With siren and strobe trigger wire monitoring the product provides full integrity of the ring command and thus complies with the requirements for Security Grade 3.

- 3 **074-0006** Multibox Plus blue/live base.
- 073-0134** Multibox Blue Dummy Base.
- 074-0005** Multibox Aries Cover (round).
- 074-0008** Multibox Corona Cover (oval).
- 074-0009** Multibox Taurus Cover (octagon).
- 074-0010** Multibox Libra Cover (shield).
- 074-1153** Multibox Leo Cover (Oblong).
- 074-1154** Multibox Virgo Cover (Flat plate).

Inca, a hexagonal dual skinned sounder with twin lenses and twin strobes, provides 116dBA, twin LEDs, 3-15 minute timer with SAB/SCB option.

- 3 **070-0270** Inca Live Backplate EN50130-4/BS4737.
- 072-0251** Inca Cover White/Blue.
- 072-0252** Inca Decoy Cover White/Blue.
- 033-0062** Inca Decoy Bracket.

External sounders

horizontal
vertical

orion
cequra
protecta
ultima
sigma



www.cqr.co.uk



Suitable for use in PD6662 & EN50131 SECURITY GRADE 3 SYSTEMS

SELF CONTAINED EXTERNAL SOUNDERS (continued)

Grade Code

CQR (2 Year Warranty) (continued)

The ORION is the latest innovative External Sounder that includes two unique features to make fitting of this sounder easier in awkward applications. Firstly there are the rotating screw fixings to accommodate any misalignment of holes, and second are the knock off spacers on the backplate to adjust for uneven surfaces. A new easy fit bayonet style fitting, also allows for additional piezo's to be purchased separately and fitted as and when required. The product provides full integrity of the ring command and thus complies with the requirements of Security Grade 3.

- 3 074-1058 Orion vertical Backplate complete with 1 strobe and 1 blue lens.
- 3 074-1059 Orion Horizontal Backplate complete with 2 strobes and 2 blue lens.
- 032-1063 Orion Vertical Cover White.
- 032-1059 Orion Horizontal Cover White.
- 033-0226 Orion Decoy Backplate.
- 035-0017 Orion Piezo easy fit.
- 035-0018 Orion Lens Blue.

Sigma 2 is a low profile horizontal sounder with integrated strobe lens, self diagnostics with LED Indication and 116dB(A) sound output. The product provides for full integrity of the ring command and thus complies with the requirements of Security Grade 3.

- 3 033-0095 Sigma 2 Backplate.
- 072-0679 Sigma 2 Cover White.
- 033-0093 Sigma Decoy Backplate.
- 033-0094 Sigma Plus Backplate includes 2 piezos giving 118db (A) and an internal polycarbonate cover.

Protecta is a seven sided design, this external sounder has selectable SAB/SCB modes, with trigger wire monitoring which complies with the requirements of Security Grade 3. The Protecta is also available in a high sound version HS to give 118dB(A).

- 3 033-0146 Protecta Backplate.
- 073-0113 Protecta Cover White / Blue.
- 072-0841 Protecta Decoy Cover.
- 033-0145 Protecta Decoy Bracket.

Cequra 2, has an ultra low profile design featuring a unique 360° strobe effect backplate, 3mm polycarbonate construction. Conformally coated electronics with sounder, battery and strobe covered by an additional 3mm internal cover. 116dB(A), single piezo sounder, 330mA current consumption, twin alternately flashing leds, 3/15 minute cut off timers, SAB/SCB option, a set input facility, a useful system fail/trouble output and self diagnostics covering the battery, tamper, piezos and strobe. Now with siren and strobe trigger wire monitoring the product provides full integrity of the ring command and thus complies with the requirements of Security Grade 3.

- 3 033-0105 Cequra 2 Live Backplate EN50130-4/BS4737.
- 072-0688 Cequra 2 Cover White.
- 033-0109 Cequra 2 Decoy Backplate.

Ultima 2, twin independent strobe lights with selectable operation (single, twin alternating or twin synchronous), dual 3mm polycarbonate construction. Ultima pz 116dB(A), single piezos sounder, 330mA current consumption, twin alternately flashing leds, 3/15 minute cut off timers, SAB/SCB option, a set input facility, a useful system fail/trouble output and self diagnostics covering the battery, tamper, piezos and strobe. The product provides full integrity of the ring command and thus complies with the requirements of Security Grade 3. Now with siren and strobe trigger wire monitoring. HS Version: - in addition to the above an 118dB(A), Twin piezos sounder, 380mA current consumption. MHS Version: - in addition to the above a 1.2mm metal internal cover, which covers the electronics, battery and piezos to give triple skin protection.






- 3 033-0102 Ultima PZ Live Backplate EN50130-4/BS4737.
- 072-0685 Ultima Cover White.
- 033-0099 Ultima Decoy Backplate.


Intra, a fully functional SAB siren in miniature form, complete with Siren, Strobe, and Ni-cad battery, 115dB(A) @ 1m with 20 minute cut off timer, power on LED with wall and cover tamper detection.

- 2 030-0960 Intra White/Blue EN50130-4/BS4757.

Odyssey Series

A Complete Range of EN 50131 Grade 3 External Sounders

 Odyssey 1
 Odyssey 2
 Odyssey 3
 Odyssey 4
 Odyssey 5



Texecom

SELF CONTAINED EXTERNAL SOUNDERS (continued)

Grade Code

TEXECOM

3	033-0170 Odyssey 1E (2 Year Warranty) Economy vertically mounting external sounder & strobe unit. Features include: 109dB @ 1m, unique patented engineer hold-off mode, advanced microprocessor technology with screw and wall tamper detection.
3	033-0167 Odyssey 1 (5 Year Warranty) Vertically mounting external sounder & strobe unit. Features includes: 115dB @ 1m, IP65 sealed electronics, unique patented engineer hold-off mode and advanced microprocessor. Polycarbonate construction with screw, lid and wall tamper detection.
	072-0985 Odyssey 1/1E Cover White/Blue.
3	033-0171 Odyssey 2E (2 Year Warranty) Economy horizontally mounting external sounder & strobe unit. Features include: 109dB @ 1m, unique patented engineer hold-off mode, advanced microprocessor technology with screw and wall tamper detection.
3	033-0168 Odyssey 2 (5 Year Warranty) Horizontally mounting external sounder & strobe unit. Features include: 115dB @ 1m, IP65 sealed electronics, unique patented engineer hold-off mode and advanced microprocessor technology. Polycarbonate construction with screw, lid and wall tamper detection.
	072-0986 Odyssey 2/2E Cover White/Blue
3	033-0172 Odyssey 3E (2 Year Warranty) Economy stylish hexagonal design mounting external sounder & strobe unit. Features include: 109dB @ 1m, unique patented engineer hold-off mode, advanced microprocessor technology with lid and wall tamper detection.
3	033-0169 Odyssey 3 (5 Year Warranty) Stylish hexagonal design external sounder & strobe unit. Features include: 115dB @ 1m, IP65 sealed electronics, unique patented engineer hold-off mode and advanced microprocessor technology. Polycarbonate construction with screw, lid and wall tamper detection.
	072-0987 Odyssey 3/3E Cover White/Blue
3	033-0203 Odyssey 3 Metal (5 Year Warranty) stylish hexagonal design sounder and strobe. 1.5mm galvanised steel enclosure for high security. Features include: 115dB @ 1m, IP65 sealed electronics, unique patented engineer hold-off mode, advanced microprocessor technology, polycarbonate cover and lens, screw, lid and wall tamper detection.
3	074-0882 Odyssey 4E (2 Year Warranty) Economy low profile design external sounder & strobe unit with 360° lens. Features include: 109dB @ 1m, unique patented engineer hold-off mode, advanced microprocessor technology with lid and wall tamper detection.
3	074-0885 Odyssey 4 (5 Year Warranty) Low profile design external sounder & strobe unit with 360° lens. Features include: 115dB @ 1m, IP65 sealed electronics, unique patented engineer hold-off mode and advanced microprocessor technology. Polycarbonate construction with screw, lid and wall tamper detection.
	074-0973 Odyssey 4/4E Decoy Backplate.
	074-0901 Odyssey 4 Cover White/Blue.
3	074-1159 Odyssey 5E (2 Year Warranty) Economy layered architectural design external sounder & strobe unit. Features include: 109dB @ 1m, unique patented engineer hold-off mode, advanced microprocessor technology with lid and wall tamper detection.
3	074-1160 Odyssey 5 (5 Year Warranty) Layered architectural design external sounder & strobe unit. Features include: 115dB @ 1m, IP65 sealed electronics, unique patented engineer hold-off mode and advanced microprocessor technology. Polycarbonate construction with screw, lid and wall tamper detection.
	074-1172 Odyssey 5 Cover White/Blue
3	074-1161 Odyssey 5E Compact (2 Year Warranty). Miniature version of Odyssey 5E. Features include: 109dB @ 1m, unique patented engineer hold-off mode, advanced microprocessor technology with lid and wall tamper detection.
3	074-1162 Odyssey 5 Compact (5 Year Warranty). Miniature version of Odyssey 5. Features include: 115dB @ 1m, IP65 sealed electronics, unique patented engineer hold-off mode and advanced microprocessor technology. Polycarbonate construction with lid and wall tamper detection.
	074-1190 Odyssey 5 Compact Cover White/Blue



KLAXON SIGNALS XTRA



KLAXON SIGNALS XL PLUS



KLAXON SIGNALS XPRO V



KLAXON SIGNALS MINN-XW

SELF CONTAINED EXTERNAL SOUNDERS (continued)

Grade Code

KLAXON SIGNALS

H Series (Horizontal)

- 3** **030-1121 Value Backplate**, 42-511308. Single piezo sounder incorporating a microprocessor, horizontal mount, high visibility xenon strobe, 15 minute timer, 105 dB, oscillating twin high visibility LEDs, SAB/SCB option, 6V NiMH serviceable battery, combined front & back tamper, fully enclosed electronics, 5 second engineer's test link. 2 year warranty.
- 3** **033-0077 Premier Backplate**, 42-503544. Twin-piezo sounder incorporating a microprocessor, horizontal mount, high visibility xenon strobe, 15 minute timer, 118 dB, oscillating twin high visibility LEDs, SAB/SCB option, 8.4V NiMH serviceable battery, combined front & back tamper, fully enclosed electronics, 5 second engineer's test link. 3 year warranty.
- 033-0107 Decoy H-Series**, 42-500000. Bracket kit.
- 072-0694 Xtra**, 42-504835. Cover. White lid/blue lens.
- 073-0142 Xpro H**, 42-511035. Cover. White lid/blue lens.

V Series (Vertical)

- 3** **074-0011 Value Backplate**, 42-306823. Single-piezo with microprocessor, vertical mount, high visibility xenon strobe, 15 minute timer, 105 dB @ 1m, oscillating twin high visibility LEDs, SAB/SCB option 6V NiMH serviceable battery, combined front & back tamper, fully enclosed electronics, 5 second engineer's test link. 2 year warranty.
- 3** **033-0076 Premier Backplate**, 42-504283. Twin-Piezo Sounder incorporating a microprocessor, vertical mount, high visibility xenon strobe, 15 minute timer, 118 dB, two sound options, speed option, dual flashing high visibility LEDs, SAB/SCB option, 8V NiMH serviceable battery, combined front & back tamper, fully enclosed electronics, 5 second engineer's test link. 3 year warranty.
- 033-0106 Decoy V-Series**, 42-500001. Bracket kit.
- 072-0697 XL Plus**, 42-510984. Cover. White lid/blue lens.
- 073-0141 Xpro V**, 42-506040. Cover. White lid/blue lens.
- 072-0691 Xtravert**, 42-504923. Cover. White lid/blue lens.

C Series (Compact)

- 3** **043-0099 Minn-XW**, 42-510961. Palm sized external sounder/strobe unit, white cover with blue lens. Vertical mount design, suitable for all external installations. Low current (1Hz), high visibility LED. SAB/SCB option, 6V NiMH serviceable battery, front & back tamper. 5 second engineer's test link. Fully Weatherproof to IP55. 3 year warranty.

PYRONIX (1 Year Warranty)

Belle Live Base Twin piezo sounder with 118dBa output at 1 metre, panoramic strobe effect illuminating the full bellbox, 3 way tamper action, SAB/SCB option, negative and positive triggering inputs.

- 3** **070-0011 Belle Live Backplate Blue**.
- 033-0058 Belle Dummy Backplate Blue**.
- 033-0055 Belle Cover White**.

BELL BOXES AND ANCILLARIES

Grade Code

BELL BOX CAGES (All Steel, Black Enamel Finish)

043-0006 F TYPE To Fit External Sounders.

LED'S

043-0002 Flashing LED c/w battery back up facility.

DOUBLE SKINNED SOUNDERS

CQR (2 Year Warranty)

- 3** **031-0056** **Ceqmet**, 1.2mm Galvanised steel Backplate and inner cover with a 1.2mm stainless steel cover. Conformally coated electronics with sounders and battery protected by the inner cover. 118dB(A), dual piezos sounder, 380mA current consumption, twin alternately flashing leds, 3/15 minute cut off timers, SAB/SCB option, a set input facility, a useful system fail/trouble output and self diagnostics covering the battery, tamper, piezos and strobe. Engineer hold off facility, strobe tube saver and universal triggering. Now with siren and strobe trigger wire monitoring. The product complies with the requirements of Security Grade 3.

ELMDENE (2 Year Warranty)

Rapier features include: Twin piezo, 118db @ 1m, 500mA including integral strobe, SAB, tamper return, Engineer silent start-up, cut-off timer and battery, microprocessor controlled. PD6662/EN50131 compliant. (2000 model is suitable for use in a Grade 4 system with id biscuit fitted).

- 3** **033-0117** **Rapier 6000** features as above. Stainless Steel. Twin piezo unit with Strobe, 118db at 1m, 500mA in full alarm including strobe.
- 3** **033-0080** **Rapier 4000** features as above. White Coated Stainless Steel. Twin piezo unit with Strobe, 118db at 1m, 500mA in full alarm including strobe.
- 4** **033-0081** **Rapier 2000** features as above. Polished Stainless Steel, Anti Drill, Twin piezo unit with Strobe, 118db at 1m, 500mA in full alarm including strobe. Suitable for use in Grade 4 system with id biscuit fitted.
- 3** **072-0670** **Rapier 2000/6000** Stainless Steel cover.
- 3** **072-0669** **Rapier 4000** White Coated Stainless Steel Cover.

KLAXON SIGNALS (3 Year Warranty)

M Series (Metal)

- 3** **031-0059** **Xcluder**, 42-510955. Complete unit, brushed stainless steel cover/blue lens, horizontal mount, low current (1Hz) high visibility xenon strobe, dual LEDs with diagnostic feature, separate LED/strobe module for easy replacement, 9/15 minute timer option, twin piezo, 118 dB @ 1m, SAB/SCB option, 8.4V NiMH serviceable battery, screw/back/cover/shroud tampers, conformal coating of electronics, stainless steel cover, 2mm mild steel shroud and backplate, 5 second engineer's test link. EN50131-4/BS4737.

EXTENSION SPEAKERS

028-0004 8 Ohm Small Extension Speaker.

028-0005 16 Ohm Small Extension Speaker.

- 3** **028-0006** 16 Ohm Extension Speaker Tampered.

- 3** **028-0001** **CQR Mach 1** - 16 Ohm Extension Speaker tampered, 12 Watt, mylar cover in ABS case.

- 3** **028-0002** **CQR Soint 1** - 16 Ohm Slimline Extension Speaker, fully tampered.

- 3** **028-0003** **Scantronic 09040UK-00** 16 OHM tampered speaker.

028-0038 **Texecom** 16 Ohm Extension Speaker.

Internal sounders & speakers

buzzers
horn sounders

intra
soint omega
somach



www.cqr.co.uk



Select from a range of SECURITY GRADE 1, 2 or 3 compliant products

STROBES 12Vdc

Grade Code

Low Profile 180 mA current consumption 90 Flash Per Min, 1 watt output. (Height 43mm).

034-0002 Amber.

034-0003 Blue.

034-0004 Clear.

ELECTRONIC SOUNDERS 12Vdc

029-0007 Sound Bomb SB1 112dB @ 1m 85mA consumption.

029-0003 Sound Bomb SB2 112dB @ 1m 190mA consumption.

029-0012 TK401 112dB @ 1m 150mA consumption.

029-0013 TK403 120dB @ 1m 350mA consumption.

3 **029-0006** CQR Mach II Internal Sounder 110dB(A) @ 1m 240mA tampered.

3 **029-0154** CQR Mini Internal Sounder complete with Flash, Type ML21, Extra Loud 115dB(A). Consumption in combined audible and visual alarm mode 200 mA, fully tampered, blue lens standard.

3 **029-0008** CQR Soint 2, Slimline Internal Sounder 110dB(A) incl LED, selectable sound output, front and back tampered.

3 **029-0129** CQR Soint 3 Hi-Lo, dual output sounder offering both a low constant tone (90dB(A)) for entry/exit and a high tone (110dB(A)) for alarm activations. There is also a led, which has its own negative input, which can be permanently on or linked to the alarm or entry exit tones and also has anti tamper for the cover and the wall.

3 **029-0088** CQR Omega Aesthetically designed compact internal sounder with strobe, optional cover and wall tamper, selectable sound output. 110/95dB(A) @ 1m.

3 **029-0078** Elmdene Inter-Dual 600, 120dB@1m. 260mA in full alarm condition. Also a separate Exit/Entry output sounder of 80dB at 80mA, has adjustable volume control. Includes front and rear tampers.

3 **029-0081** Elmdene Inter-Strobe 500, 120dB@1m. 260mA in full alarm condition. Also a separate Exit/Entry output sounder of 80dB at 80mA, has adjustable volume control. Separate strobe output 1w nominal, flash rate 1 per second. Includes front and rear tampers.

3 **029-0086** Elmdene Inter-Strobe 500S, As the Inter-Strobe 500 but fitted with a rechargeable battery to provide SAB operation.

029-0009 Hosiden Besson Bandit 108dB @ 1m 70mA consumption.

3 **029-0076** Pyronix Twin Alert, internal speaker/sounder, Over 100dBa peak sound output, Speaker repeater with alarm override, Locally adjustable speaker volume setting, Volume override on alarm, Self contained siren generator, Compatible with all bell trigger outputs, Case tamper, Multi mount enclosure.

029-0153 3.5" Cut-off Horn, 115dB @ 1m 350mA consumption.